

Open air

by ALUMINCO



Ground fixing guide

ELEGANT.INNOVATIVE.UNIQUE

Ground fixing guide	1
Ground fixing guide	7
Alternative ground fixing with galvanized fixing base	15
Alternative ground fixing with concrete screw	21
Corner ground fixing guide	27
Ground fixing with secret screw	33
Ground fixing guide for fixed typology	41
Ground fixing guide for fixed typology - Installation with slope +/-10°	45

INSTALLATION METHODS

1



Inox allen screw M10x70

Code **EB912-1070**

Expansion plug

Code **EB01M-1040**

2



Galvanized fixing base

Code **E2200-173**

3



Concrete Screw Ø12-110

Code **EBM-12110**

4



Concrete Torx Ø7.5x112

Code **EBM-75112G**

5



Concrete Allen Screw Ø10x120





Code **EBM-10120G**

For proper function of OPEN AIR units, the installation must be only on concrete or tiled floors.

IMPORTANT NOTE:

- The ground must be 100% level.
- It is not recommended to install on wooden or metal floors.

REQUIRED TOOLS








Open air





by ALUMINCO




Ground fixing guide









Expansion plug	
Code	EB01M-1040




Inox allen screw M10x70

Code **EB912-1070**














Open air
by ALUMINCO




Alternative ground fixing with
galvanized fixing base










Open air

by ALUMINCO





Alternative ground fixing
with concrete screw







Concrete Screw Ø12-110

Code **EBM12-110**











Open air

by ALUMINCO





Corner ground fixing guide









Expansion plug


Code **EB01M-1040**





Inox allen screw M10x70
Code **EB912-1070**







Open air

by ALUMINCO




Ground fixing with secret screw







ΑΠΟΣΤΑΣΕΙΣ ΤΡΥΠΗΜΑΤΟΣ / DRILLING DISTANCES (L)	
1	L= O.A. Total Length - Footplate= 1000 - 80 = 920mm
2	L= O.A. Total Length - Footplate= 1200 - 80 = 1120mm
3	L= O.A. Total Length - Footplate= 1500 - 80 = 1420mm
4	L= O.A. Total Length - Footplate= 1800 - 80 = 1720mm
5	L= O.A. Total Length - Footplate= 2000 - 80 = 1920mm








Concrete Allen Screw Ø10x120


Code **EBM-10120G**

















Open air




Ground fixing guide for
fixed typology





Concrete Torx 7.5x112







Code **EBM-75112G**





Open air



Ground fixing guide for fixed
typology - Installation with slope
 $\pm 10^\circ$





Concrete Torx 7.5x112

Code **EBM-75112G**

