

# INNOVATIVE HIGH QUALITY PRODUCTS!

**SKYLINE MINIMAL SYSTEMS**

Doors, Windows, Façades

**ARCHITECTURAL SYSTEMS**

Doors, Windows, Entrance Doors, Folding, Shading, Shutters, Partitions, Curtain Walls,

**RAILING SYSTEMS**

Glass Balustrades, Classic Line, Anodized Line, Fusion Line

**OUTDOOR LIVING SYSTEMS**

Wall Cladding, Windscreens, Pergolas, Canopies, Fencing, Panels,



**SKYLINE**



**SLIDING DOORS**



**WINDOWS**



**FAÇADES**



**ENTRANCE DOORS**



**PARTITIONS**



**FOLDING**



**LOUVERS**



**GLASS BALUSTRADES**



**CLASSIC RAILINGS**



**WD CLADDING**



**PERGOLAS**

01

Minimal


Systems



# SL55 The Infinity

# SKYLINE Minimal Sliding



CW35  Style  
Setter

SKYLINE  
Minimal Façade



# SL2700 Great Wide

# SKYLINE

Minimal Lift & Slide



# W85HS View Master

# SKYLINE Minimal Hinged Hidden Sash



# W85ST Retro Look

# SKYLINE Minimal Hinged Retro Look




02

Architectural

Systems



# The Sliders




SL2700  
SL2450 SL200

Architectural  
Systems




# The Windows




W4900 W4750  
W450/450HS

Architectural  
Systems



# The Folds



FD75  
FD4600

Architectural  
Systems



# The Doors D110 D75

Architectural  
Systems



# The Partitions OS25

Architectural  
Systems



# The Facades

EW50 SH3400  
SH3200 SH750

Architectural  
Systems



# The Claddings Wall Deco

Architectural  
Systems



03

Railing

Systems




# CrystalLine Glass Balustrades

Railing  
Systems



# CrystalLine Glass Balustrades


Railing Systems



A•line




C2•line




Ds•line




L•line



L•line



Slimline HD



Slimline

# Fusion ORBIT ELXIS SYNTHESIS LINEA V

Railing  
Systems



# ClassicLine Classic Railings

Railing Systems



04

Outdoor Living

Systems



# Freedom The Bioclimatic Pergola

Outdoor  
Living  
Systems



# OpenAir Windscreen System

Outdoor Living Systems



Open air  
IHEA

Open air  
PLUS

Open air  
ULTRA+

Open air  
EMOTION

Open air  
Glass Wall 

Open air  
FIXED 

# Gates Fences Linear


Outdoor  
Living  
Systems






# XPAND Design Meshes


Xpand patterns are available in a variety of forms, motives and colors that differ according to the given dimensions, the light penetration and the design.




**XP101**  
 OPEN AREA: 49.3 %  
 WEIGHT PER m<sup>2</sup>: 3.4 Kg/m<sup>2</sup>  
 LWO: 43.5 mm / SWO: 10 mm  
 STRAND WIDTH: 4 mm  
 OVERALL THICKNESS: 7.5 mm  
 DIMENSIONS (W x H):  
 1000 x No limit / 1250 x No limit /  
 1500 x No limit




**XP104**  
 OPEN AREA: 67.7 %  
 WEIGHT PER m<sup>2</sup>: 2.37 Kg/m<sup>2</sup>  
 LWO: 49 mm / SWO: 11 mm  
 STRAND WIDTH: 4 mm  
 OVERALL THICKNESS: 8 mm  
 DIMENSIONS (W x H):  
 1000 x No limit / 1250 x No limit /  
 1500 x No limit



**XP203**  
 OPEN AREA: 65.8 %  
 WEIGHT PER m<sup>2</sup>: 2.4 Kg/m<sup>2</sup>  
 LWO: 96.2 mm / SWO: 25 mm  
 STRAND WIDTH: 8 mm  
 OVERALL THICKNESS: 13.5 mm  
 DIMENSIONS (W x H):  
 1000 x No limit / 1250 x No limit /  
 1500 x No limit




**XP204**  
 OPEN AREA: 64.3 %  
 WEIGHT PER m<sup>2</sup>: 3 Kg/m<sup>2</sup>  
 LWO: 82.8 mm / SWO: 18 mm  
 STRAND WIDTH: 8 mm  
 OVERALL THICKNESS: 14 mm  
 DIMENSIONS (W x H):  
 1000 x No limit / 1250 x No limit /  
 1500 x No limit




**XP105**  
 OPEN AREA: 49.3 %  
 WEIGHT PER m<sup>2</sup>: 3.58 Kg/m<sup>2</sup>  
 LWO: 47 mm / SWO: 10.5 mm  
 STRAND WIDTH: 8 mm  
 OVERALL THICKNESS: 11 mm  
 DIMENSIONS (W x H):  
 1000 x No limit / 1250 x No limit /  
 1500 x No limit




**XP106**  
 OPEN AREA: 62.4 %  
 WEIGHT PER m<sup>2</sup>: 2.29 Kg/m<sup>2</sup>  
 LWO: 47 mm / SWO: 15 mm  
 STRAND WIDTH: 4 mm  
 OVERALL THICKNESS: 7.8 mm  
 DIMENSIONS (W x H):  
 1000 x No limit / 1250 x No limit /  
 1500 x No limit




**XP206**  
 OPEN AREA: 67.5 %  
 WEIGHT PER m<sup>2</sup>: 2.8 Kg/m<sup>2</sup>  
 LWO: 77.8 mm / SWO: 14 mm  
 STRAND WIDTH: 6 mm  
 OVERALL THICKNESS: 11 mm  
 DIMENSIONS (W x H):  
 1000 x No limit / 1250 x No limit /  
 1500 x No limit




**XP301**  
 OPEN AREA: 64.8 %  
 WEIGHT PER m<sup>2</sup>: 2.87 Kg/m<sup>2</sup>  
 LWO: 71.8 mm / SWO: 18 mm  
 STRAND WIDTH: 8 mm  
 OVERALL THICKNESS: 13 mm  
 DIMENSIONS (W x H):  
 1000 x No limit / 1250 x No limit /  
 1500 x No limit




**XP109**  
 OPEN AREA: 59.4 %  
 WEIGHT PER m<sup>2</sup>: 3.10 Kg/m<sup>2</sup>  
 LWO: 42 mm / SWO: 7.5 mm  
 STRAND WIDTH: 4 mm  
 OVERALL THICKNESS: 7.5 mm  
 DIMENSIONS (W x H):  
 1000 x No limit / 1250 x No limit /  
 1500 x No limit




**XP110**  
 OPEN AREA: 37.0 %  
 WEIGHT PER m<sup>2</sup>: 4.42 Kg/m<sup>2</sup>  
 LWO: 41 mm / SWO: 6 mm  
 BHMA / STRAND WIDTH: 8 mm  
 OVERALL THICKNESS: 10.5 mm  
 DIMENSIONS (W x H):  
 1000 x No limit / 1250 x No limit /  
 1500 x No limit




**XP302**  
 OPEN AREA: 56.6 %  
 WEIGHT PER m<sup>2</sup>: 4.18 Kg/m<sup>2</sup>  
 LWO: 56.7 mm / SWO: 6 mm  
 STRAND WIDTH: 8 mm  
 OVERALL THICKNESS: 11.5 mm  
 DIMENSIONS (W x H):  
 1000 x No limit / 1250 x No limit /  
 1500 x No limit




**XP303**  
 OPEN AREA: 42.6 %  
 WEIGHT PER m<sup>2</sup>: 3 Kg/m<sup>2</sup>  
 LWO: 54.4 mm / SWO: 5 mm  
 STRAND WIDTH: 6 mm  
 OVERALL THICKNESS: 9.5 mm  
 DIMENSIONS (W x H):  
 1000 x No limit / 1250 x No limit /  
 1500 x No limit




**XP113**  
 OPEN AREA: 68.7 %  
 WEIGHT PER m<sup>2</sup>: 2.16 Kg/m<sup>2</sup>  
 SWO: 15 mm  
 STRAND WIDTH: 4 mm  
 OVERALL THICKNESS: 9 mm  
 DIMENSIONS (W x H):  
 1000 x No limit / 1250 x No limit /  
 1500 x No limit




**XP201**  
 OPEN AREA: 50.1 %  
 WEIGHT PER m<sup>2</sup>: 3.6 Kg/m<sup>2</sup>  
 LWO: 93.5 mm / SWO: 19 mm  
 STRAND WIDTH: 14 mm  
 OVERALL THICKNESS: 18 mm  
 DIMENSIONS (W x H):  
 1000 x No limit / 1250 x No limit /  
 1500 x No limit




**XP304**  
 OPEN AREA: 45.5 %  
 WEIGHT PER m<sup>2</sup>: 2.47 Kg/m<sup>2</sup>  
 LWO: 58.6 mm / SWO: 10 mm  
 STRAND WIDTH: 6 mm  
 OVERALL THICKNESS: 10.5 mm  
 DIMENSIONS (W x H):  
 1000 x No limit / 1250 x No limit /  
 1500 x No limit



**XP333**  
 OPEN AREA: 58.6 %  
 WEIGHT PER m<sup>2</sup>: 3.27 Kg/m<sup>2</sup>  
 LWO: 84 mm / SWO: 19.5 mm  
 STRAND WIDTH: 11 mm  
 OVERALL THICKNESS: 15.5 mm  
 DIMENSIONS (W x H):  
 1000 x No limit / 1250 x No limit /  
 1500 x No limit



**XP401**  
 OPEN AREA: 62.7 %  
 WEIGHT PER m<sup>2</sup>: 3.6 Kg/m<sup>2</sup>  
 LWO: 180 mm / SWO: 38 mm  
 STRAND WIDTH: 20 mm  
 OVERALL THICKNESS: 28 mm  
 DIMENSIONS (W x H):  
 1000 x No limit / 1250 x No limit /  
 1500 x No limit



**XP503**  
 OPEN AREA: 55 %  
 WEIGHT PER m<sup>2</sup>: 2.1 Kg/m<sup>2</sup>  
 LWO: 102 mm / SWO: 35 mm  
 STRAND WIDTH: 8 mm  
 OVERALL THICKNESS: 14 mm  
 DIMENSIONS (W x H):  
 1000 x No limit / 1250 x No limit /  
 1500 x No limit

# PERFORATED Perforated Panels

Architectural  
Systems





# InScreen

INSECT SCREEN SYSTEMS

ZERO

OMEGA 27

OMEGA 22

KLIP 39 KAΘETH

KLIP 39 OPIZONTIA

JOLLY

INDOOR

INFRAME



# InScreen Insect Screen Systems

Architectural  
Systems



Infinity

Cubo  
electric